


**ESR BODENESEN | ESR FLOOR-LEVEL | ESR PLAIN-PIED
ESR A FILO DEL PAVIMENTO | ESR ENRASADO**



2

DE Montageanleitung | EN Installation instructions

NL Montagehandleiding | FR Instructions de montage | IT Istruzioni di montaggio
ES Instrucciones de montaje | PT Instruções de montagem | DA Monteringsvejledning
NO Monteringsanvisning | SV Monteringsanvisning | FI Asennusohje | ET Paigaldusjuhised
LV Montāžas instrukcija | LT Montavimo instrukcija | PL Instrukcja montażu | CS Návod k montáži
RU Инструкция по монтажу | UK Інструкція з монтажу | SK Návod na montáž | HU Összeszerelési utasítás | RO Instrucțiuni de montare | SL Navodila za montažo | HR Upute za montažu
BG Ръководство за монтаж | EL Οδηγίες συναρμολόγησης | TR Montaj talimatı | AR بـيـكـرتـلـا لـيـلـد
ZH 安装说明书 | JA 設置説明書 | KO 조립설명서 | ID Petunjuk perakitan | TH คำแนะนำในการติดตั้ง
VI Hướng dẫn lắp ráp | HI स्थापना निर्देश




1.


2.



DIN EN 18 202
DIN 18 560
DIN 52 460




ESR BODENEbenen




							1240 mm	940 mm							
≤ 900 mm	4	4	2	4	-	4	-	3	6	1	4	1	2	4	1
≤ 900 mm 1000 - 1200 mm	6	6	2	4	-	4	3	-	6	1	4	1	2	4	1
1000 - 1200 mm	8	8	2	4	-	4	3	-	6	1	4	1	2	4	1
≤ 900 mm 1300 - 1500 mm	6	6	2	4	2	4	2	2	8	1	4	1	2	4	1

Inch = mm x 0,0394




ESR BODENEbenen



							1240 mm	940 mm							
1000 - 1200 mm 1300 - 1500 mm	8	8	2	4	2	4	2	2	8	1	4	1	2	4	1
≤ 900 mm 1600 - 1800 mm	8	8	2	4	4	4	2	2	8	1	4	1	2	4	1
1000 - 1200 mm 1600 - 1800 mm	10	10	2	4	4	4	2	2	8	1	4	1	2	4	1
1500 mm 1500 mm	8	8	2	4	4	4	4	-	9	1	4	1	2	4	1


Inch = mm x 0,0394





287.839

3. – 13.




287.981

14. – 30.




287.839


31. – 47.




4x




6x




Inch = mm x 0,0394




8x



8x





10x





Inch = mm x 0,0394



a **3.**



b **3.**



c **3.**




Inch = mm x 0,0394




d **3.**



e **3.**







Inch = mm x 0,0394





4.

4x






5.






**DIN EN
18 202**







b c d e 6.











8.





9.







**6x****9x****8x**

Inch = mm x 0,0394








10.







Inch = mm x 0,0394





Inch = mm x 0,0394






287.839



3. - 13. ✓



287.981








14. - 30.






287.839







31. - 47.






Inch = mm x 0,0394






Inch = mm x 0,0394






32.








34.






35.





36.










37.



38.




**39.**



i




A




+


MAS 5305



B



+




40.



i




C




+


MAS 5315



D





+



40.




40.



> 400 cm²


> 900 mm



● = Ø 220 mm


■ = 200x200 mm

> 1200 mm




● = 2x Ø 180 mm


■ = 2x 150x150 mm




Inch = mm x 0,0394




42.




43.




44.



45.







**DIN
52 460**



1




2



? h



KALDEWEI



Franz Kaldewei GmbH & Co. KG

Beckumer Str. 33-35

D-59229 Ahlen

 +49 2382 785 0

 +49 2382 785 200

www.kaldewei.com

